

Progressive Dynamics



# The 688 series ELECTRICAL CONTROL CENTER



PD 688 Brown



PD 688 Beige


The economical 688 series electrical control center is packed with deluxe features. Ideal for small travel trailers, campers, and vans. It's **lightweight** and built to handle high temperatures. The all plastic body won't chip or corrode. Its leather grained finish, in beige or brown, compliments all interiors.

With the exception of the A.C. wiring compartment, the unit is completely sealed. The main A.C. breaker and D.C. circuit output fuses are **recessed**. Equipped with two fused D.C. circuits, it's designed to accommodate a standard household A.C. circuit breaker or ground fault interrupter circuit breaker.

## LIGHTWEIGHT 688 SERIES

The 688 series combines space saving dimensions with time savings convenience. Progressive Dynamic's innovative air flow pattern, along with a thermal protector, helps prevent excessive overheating and internal damage. Using natural air flow, the thru-front ventilation provides quiet,


positive cooling. The attractive finish is easily cleaned with mild dish liquid. (Make certain all power is off first to avoid the possibility of shock. Don't let water seep into the unit.) NOTE: The economical 688 series is not suitable for battery charging.



### DIMENSIONS:

While the 688 series requires no minimum mounting clearance, it is recommended that the unit be given as much clearance as possible to reduce nuisance tripping of the thermal protector when the unit is under full load conditions.

10" x 1" x 1" WOOD STRIP



TO HOLD UNIT IN PLACE,  
INSERT MOUNTING SCREWS  
INTO WOOD STRIP  
BEHIND FRONT WALL.

6-1/4" W x 9-1/4" L MOUNTING OPENING

### SPECIFICATIONS:

Part No.	12 VDC Output Ratings	120 VAC Input Ratings	Approximate Shipping Weight*	Number of D.C. Circuits
PD 6880	3 amps	.6	3 lbs. 12 oz.	2
PD 6881	6 amps	1.2	5 lbs. 15 oz.	2
PD 6882	9 amps	1.5	6 lbs. 5 oz.	2
PD 6883**	15 amps	2.6	7 lbs. 0 oz.	2

\*\*C.S.A. listing is pending on Model PD 6883. All others are C.S.A. and U.L. listed.

\*not including skid weight.



All models are available in beige or brown. Please specify.


Because Progressive Dynamics is constantly developing and improving its product, we reserve the right to change specifications without notice.



**Progressive Dynamics Inc.**  
507 Industrial Road, Marshall, Mich. 49068  
Phone (616) 781-4241

P.D. 688 SERIES

RED - 12 V. BATT. POS.  
WHITE - 12 V. BATT. NEG.  
BLUE - 12 V. POS. D.C. CIRCUIT NO. 1  
BLUE - 12 V. POS. D.C. CIRCUIT NO. 2



15 AMP 3 WIRE  
POWER CORD

220 VAC BRANCH (OPTIONAL)  
NON-METALLIC SHEATHED-  
CABLE 14/2 N.G. MIN.

GROUND WIRE AS REQ'D  
BY ARTICLE 551 NATIONAL  
ELECTRICAL CODE